



LUCECO

G R O U P

DATA CENTRE LIGHTING


We make light work for you

Data Hall




INDUS PRO

4000 - 8500 Lumen options. IP65/IP54 Variant available, Mounting - suspended, trunking and surface version. 80,000 Hrs Life time. 154Lm/w.



CONTECH TRUNKING SYSTEM

5200 – 10400 Lumen options. Mounting – Continuous and standalone version. 50,000 Hrs Life time. 138Lm/w



Plant Room



ATEX

4000 - 8500 Lumen options. IP65/IP54 Variant available, Mounting - suspended, trunking and surface version. 80,000 Hrs Life time. 154Lm/w.



CERES

11,000 – 35,500 Lumen options, Available with 60, 90, 120o and Racking lense optics, 70,000 Hrs life time, 140 lm/w



CLIMATE EXTREME

2000 – 9000 Lumen options, IP66, 50 Ta, 50,000 Hrs life time, 129Lm/w



Control Room



ICE LINEAR

4200LM, with direct or indirect illumination, low glare design compliance to UGR19.



SIGMA MICROPRISM

2000 – 4200 Lumen Options, 100,000 Hours life time, 130 Lm/w



CONTOUR S MID-OUTPUT

6650 Lumen options, CRI90 version available, 80,000 Hrs life time, 121Lm/w




PLATINUM SURFACE

1200 – 6600 Lumen options available. 50,000 Hrs life time, 132 Lm/w.




Office Space



LEREN SUSPENDED

4000-7500LM, Direct/indirect continuous linear system, Efficacy up to 121 Lm/cw.




LUXPANEL EXTRA

2000 – 4200 Lumen Options, 70,000 Hours life time, 143 Lm/w



CONTOUR OCTA

3000 – 5000 Lumen options, available in 1200 and 1500mm modules, 125Lm/w




CONTOUR RECESSED

600 – 3600 Lumen options. Continuous homogeneous recessed lighting system with up to 109 Lm/cw




Entrance Lobby



CELESTE

Circular suspended, 1220 – 3290 Lumen options, Available in various bezel finishes



LUXFRAME PANEL

2000 – 2800 Lumen Options, available in standard and dali variants




CONTOUR BLACK

600 – 3600 Lumen options, Continuous light system with connectable modules offered in 600mm, 1200mm, 1500mm & 1800mm and illuminated connectors



PLATINUM DARKLIGHT

1000 – 2750 Lm variants available, UGR 13-19, 50,000 Hrs Life, IP54, 115lm/w



External Lighting



DECO 2

930 and 1860 Lumen options, Efficacy up to 124lm/W , 4000K & 2700K, CRI >70, Lifetime >50,000hr, L70



KIRIUM PRO S

Lumen options, wide range of Diamond+ light distributions , Efficiency up to 199 lm/W



AMNIS FLOOD

118,000 - 188,662 Lumen options, Efficacy up to 145lm/W , 4000K, CRI >80, Lifetime >100,000hr, L70



ATLAS BULKHEAD

1250 - 3500 Lumen options, 3000K & 4000K, CRI>80, Lifetime >50,000hr, L80



- Ooredoo Data Centre, Muscat, OMAN

Ooredoo selects Luceco to supply energy efficient light fixtures for its new state-of-the-art data centre to support local businesses and the community in each area by offering world-leading cloud storage, data recovery, and cyber security services. Reportedly housing more than 500 racks; landing points for the upcoming 2Africa cable spur to the Middle East. Climate weatherproof, Platinum downlights, Atlas Bulkhead and Extra Backlit panels were supplied to the project.

- DU Data Centre, UAE

Climate Extra, Platinum downlights, Atlas Bulkhead and Luxpanels were supplied to the project.





Trust our brands to be your lighting partner

- | | |
|------------|---|
| Capability | Over 50 years of experience |
| Quality | Industry leading testing, accreditation & performance |
| Technical | In-house laboratory, product design, manufacturing & lighting designers |
| Innovation | Solving customers problems with new solutions and bespoke specials |
| Capacity | Single handmade specials to automated production lines |
| Trusted | Proven track record of delivering results |